


Round Flush Pulls

A choice of nine Flush Pull designs suitable for sliding pocket doors. All are available in three diameters with three depth options. Face, Pocket or Adhesive fixed are offered with a choice of functions, whilst a Rear Bolt fixed version is available as a plain Pull only. Plain Pulls are also available in pairs back-to-back fixed (see DF4:002).



7258B/11MM/FF/PN/TS



7255B/11MM/PF shown

PF pocket fixed
(available 11 & 14mm depths only)



7255B/11MM/FF shown

FF face fixed
(available in all depths)



7255B/11MM/AF shown

AF adhesive fixed
(available in all depths)
BF rear bolt fixed
(available in all depths)



Pocket fixed countersunk screw holes set at slight angle to facilitate screwdriver access



Overall Depth	9*	11	14
Code	9MM	11MM	14MM

* pocket fixing not available 9mm deep

FUNCTION OPTIONS
See page DF4:002

Fixings

Face fixed & Pocket fixed versions supplied with finish matched no.6 x 19mm wood screws.

Rear Bolt fixed version supplied with M4 x 50mm break-off flange head machine screws.


Swing Cover Release versions supplied with nickel plated key.

Computer generated images (B size shown, 11mm depth, adhesive fix)

<p>▲ 7250</p>	<p>▲ 7251</p>	<p>▲ 7252</p>
<p>▲ 7253</p>	<p>▲ 7254</p>	<p>▲ 7255</p>
<p>▲ 7256 (raised bead design)</p>	<p>▲ 7257 (dimpled design)</p>	<p>▲ 7258</p>

Round Flush Pulls

Sizes



Overall Depth	9 [†]	11	14
Code	9MM	11MM	14MM

[†] pocket fixing not available 9mm deep

	A*	B	C
Diameter (D)	Ø 50	Ø 63	Ø 76
Aperture (A)	38 x 25	47 x 35	57 x 39
Mortice Size (M)	Ø 44	Ø 54	Ø 63

* not available with turn or release functions

Keyhole & Privacy Functions (B size shown)

▲ **KH** Keyhole


▲ **EC** Euro Cylinder Cutout

▲ **TS** Turn (Square Spindle orientation)
▲ **TD** Turn (Diamond Spindle orientation) (not available A size)

▲ **SR** Swing Cover Release (not available A size)


▲ **CR** Coin Release (not available A size)

Mortice Depths (C size shown)



M Mortice Depths								
Plain Keyhole Euro Cylinder Cutout			Turn NB. Mortice depths shown below include the extra 2mm required to accommodate the turn assembly.			Swing Cover Release Coin Release NB. Mortice depths shown below include the extra 2.5mm required to accommodate the swing cover assembly and coin release.		
9MM	11MM	14MM	9MM	11MM	14MM	9MM	11MM	14MM
6	8	11	8	10	13	8.5	10.5	13.5


Back-to-Back Fixing



Plain (non-functioning) Pulls are available as pairs back-to-back fixed. Please contact us for coding information.

Round Flush Pulls - Lipped Design

A choice of nine Lipped Flush Pull designs suitable for both hinged doors and sliding drawers. All are available in three diameters with three depth options. Face, Pocket or Adhesive fixed are offered with a choice of functions, whilst a Rear Bolt fixed version is available as a plain pull only. Plain Pulls are also available in pairs back-to-back fixed (see DF4:004).



7278B/17MM/PF/PN



7275B/17MM/PF shown

7275B/17MM/FF shown

7275B/17MM/AF shown

▲ **PF** pocket fixed

▲ **FF** face fixed
(available in all depths)


▲ **AF** adhesive fixed
(available in all depths)
BF rear bolt fixed
(available in all depths)



Overall Depth	14	17	21
Code	14MM	17MM	21MM



Computer generated images (B size shown, 14mm depth, adhesive fix)



▲ 7270

▲ 7271

▲ 7272

▲ 7273

▲ 7274

▲ 7275

▲ 7276 (raised bead design)

▲ 7277 (dimpled design)

▲ 7278

Fixings

Face fixed & Pocket fixed versions supplied with finish matched no.6 x 19mm wood screws.

Rear Bolt fixed version supplied with M4 x 50mm break-off flange head machine screws.

Swing Cover Release versions supplied with nickel plated key.

.....

Round Flush Pulls - Lipped Design

Sizes

B size mortice diameter suits US pre-bore (2 1/8" Ø)

Overall Depth	14	17	21
Code	14MM	17MM	21MM

	A*	B*	C
Diameter (D)	Ø 50	Ø 63	Ø 76
Aperture (A)	38 x 25	47 x 35	57 x 39
Mortice Size (M)	Ø 44	Ø 54	Ø 63

3 (all sizes)

* not available with turn or release functions (these functions are only available on size C)

Keyhole & Privacy Functions (C size shown)

Keyhole
KHL (LH Pull)
KHR (RH Pull)

Turn (available C size only)
TS (Square Spindle orientation)
TD (Diamond Spindle orientation)

TS SQUARE
TD DIAMOND

Swing Cover Release (available C size only)
SRL (LH Pull)
SRR (RH Pull)

CR Coin Release (available C size only)

Mortice Depths (C size shown)

Plain Keyhole Turn Swing Cover Release Coin Release

M Mortice Depths								
Plain Keyhole			Turn NB. Mortice depths shown below include the extra 2mm required to accommodate the turn assembly.			Swing Cover Release Coin Release NB. Mortice depths shown below include the extra 2.5mm required to accommodate the swing cover assembly and coin release.		
14MM	17MM	21MM	14MM	17MM	21MM	14MM	17MM	21MM
11	14	18	13	16	20	13.5	16.5	20.5

Back-to-Back Fixing


front view rear view

Plain (non-functioning) Pulls are available as pairs back-to-back fixed. Please contact us for coding information.

Square Flush Pulls

A choice of nine Flush Pull designs suitable for sliding pocket doors. All are available in three sizes with three depth options. Face, Pocket or Adhesive fixed are offered with a choice of functions, whilst a Rear Bolt fixed version is available as a plain pull only. Plain Pulls are also available in pairs back-to-back fixed (see DF4:006).

6005B/11MM/FF/PN/SR



6005B/11MM/PF shown

▲ **PF** pocket fixed
(available 11 & 14mm depths only)




6005B/11MM/FF shown

▲ **FF** face fixed
(available in all depths)



6005B/11MM/AF shown

▲ **AF** adhesive fixed
(available in all depths)
BF rear bolt fixed
(available in all depths)



Pocket fixed countersunk screw holes set at slight angle to facilitate screwdriver access



Overall Depth	9*	11	14
Code	9MM	11MM	14MM

* pocket fixing not available 9mm deep



FUNCTION OPTIONS
See page DF4:006

Computer generated images (B size shown, 11mm depth, adhesive fix)



▲ 3205




▲ 4705



▲ 4905



▲ 5905




▲ 6005



▲ 6605



▲ 6705 (square edge design)



▲ 6805 (round edge design)



▲ 8705

Fixings

Face fixed & Pocket fixed versions supplied with finish matched no.6 x 19mm wood screws.


Rear Bolt fixed version supplied with M4 x 50mm break-off flange head machine screws.

Swing Cover Release versions supplied with nickel plated key.

.....

Square Flush Pulls - sizes, functions & mortise depths

Sizes



Overall Depth	9†	11	14
Code	9MM	11MM	14MM

† pocket fixing not available 9mm deep

	A*	B	C
Size (S)	50	63	76
3205 (H x W)	68 x 50	81 x 63	94 x 76
6705/6805 (H x W)	50 x 54	63 x 67	76 x 76
Aperture (A)	38 x 30	47 x 35	57 x 39
Mortise Size (M)	Ø 44	Ø 54	Ø 63

* not available with turn or release functions

Keyhole & Privacy Functions (B size shown)

▲ **KH** Keyhole

▲ **EC** Euro Cylinder Cutout


▲ **TS** Turn (Square Spindle orientation)
TD Turn (Diamond Spindle orientation) (not available A size)

▲ **SR** Swing Cover Release (not available A size)

▲ **CR** Coin Release (not available A size)


release key supplied

Mortise Depths & Face Plate Thicknesses



Face Plate Thickness	M Mortise Depths								
	Plain Keyhole Euro Cylinder Cutout			Turn NB. Mortise depths shown below include the extra 2mm required to accommodate the turn assembly.			Swing Cover Release Coin Release NB. Mortise depths shown below include the extra 2.5mm required to accommodate the swing cover assembly and coin release.		
PLATE DESIGNS	9MM	11MM	14MM	9MM	11MM	14MM	9MM	11MM	14MM
32--, 67--, 68--, 87--	5	7	10	7	9	12	7.5	9.5	12.5
47--, 49--, 59--, 60--, 66--	6	8	11	8	10	13	8.5	10.5	13.5


Back-to-Back Fixing



Plain (non-functioning) Pulls are available as pairs back-to-back fixed. Please contact us for coding information.

Square Flush Pulls - Lipped Design

A choice of nine Lipped Flush Pull designs suitable for both hinged doors and sliding drawers. All are available in three sizes with three depth options. Face, Pocket or Adhesive fixed are offered with a choice of functions, whilst a Rear Bolt fixed version is available as a plain pull only. Plain Pulls are also available in pairs back-to-back fixed (see DF4:008). Custom sizes are available upon request - surcharge may apply.



PF pocket fixed

▲ **FF** face fixed
(available in all depths)

▲ **AF** adhesive fixed
(available in all depths)
BF rear bolt fixed
(available in all depths)

5906B/14MM/PF/PN




Pocket fixed countersunk screw holes set at slight angle to facilitate screwdriver access



Overall Depth	14	17	21
Code	14MM	17MM	21MM

FUNCTION OPTIONS
See page DF4:008

Computer generated images (B size shown, 11mm depth, adhesive fix)



▲ 3206

▲ 4706

▲ 4906

▲ 5906

▲ 6006

▲ 6606

▲ 6706

▲ 6806

▲ 8706

Fixings

Face fixed & Pocket fixed versions supplied with finish matched no.6 x 19mm wood screws.

Rear Bolt fixed version supplied with M4 x 50mm break-off flange head machine screws.

Swing Cover Release versions supplied with nickel plated key.

.....

Square Flush Pulls - Lipped Design

Sizes

B sizes - mortice diameter suits US pre-bore (2 1/8" Ø)

Overall Depth	14	17	21
Code	14MM	17MM	21MM
	A*	B*	C
Size (S)	50	63	76
3206 (H x W)	68 x 50	81 x 63	94 x 76
6706/6806 (H x W)	50 x 54	63 x 67	76 x 76
Aperture (A)	38 x 30	47 x 35	57 x 39
Mortice Size (M)	Ø 44	Ø 54	Ø 63

Keyhole & Privacy Functions

* not available with turn or release functions (these functions are only available on size C)

- ▲ Keyhole
KHL (LH Pull)
KHR (RH Pull)
- ▲ Turn (available C size only)
TS (Square Spindle orientation)
TD (Diamond Spindle orientation)
- ▲ Swing Cover Release (available C size only)
SRL (LH Pull)
SRR (RH Pull)
- ▲ CR Coin Release (available C size only)

Mortice Depths & Face Plate Thicknesses




PLATE DESIGNS	Face Plate Thickness (T)	M Mortice Depths								
		Plain Keyhole			Turn NB. Mortice depths shown below include the extra 2mm required to accommodate the turn assembly.			Swing Cover Release Coin Release NB. Mortice depths shown below include the extra 2.5mm required to accommodate the swing cover assembly and coin release.		
		9MM	11MM	14MM	9MM	11MM	14MM	9MM	11MM	14MM
32--, 67--, 68--, 87--	4	5	7	10	7	9	12	7.5	9.5	12.5
47--, 49--, 59--, 60--, 66--	3	6	8	11	8	10	13	8.5	10.5	13.5


Back-to-Back Fixing

Plain (non-functioning) Pulls are available as pairs back-to-back fixed. Please contact us for coding information.

Flush Pulls - Plain

A choice of nine Flush Pull designs, all available in 14 sizes with three depth options, and either Face, Pocket or Adhesive fixed - all offered with a choice of functions. Please note: Adhesive fix is not recommended for the Turn option. Custom sizes are available upon request - surcharge may apply.

6860A/11MM/AF/IBU



▲ **PF** pocket fixed
(available 11 & 14mm depths only)

▲ **FF** face fixed (not available on sizes SQA, SQB, SQC)

▲ **AF** adhesive fixed



Pocket fixed countersunk screw holes set at slight angle to facilitate screwdriver access

overall depth


Overall Depth	9*	11	14
Code	9MM	11MM	14MM

* pocket fixing not available 9mm deep



FUNCTION OPTIONS -
see pages
DF4:030 & 040

FACE PLATE DESIGNS (51mm width shown)



▲ 32--

▲ 47--

▲ 49--

▲ 59--

▲ 60--

▲ 66--

▲ 67-- (square edge design)

▲ 68-- (round edge design)


▲ 87--

Fixings

Face fixed & Pocket fixed versions supplied with finish matched no.6 x 19mm wood screws.

Swing Cover Release versions supplied with nickel plated key.

Flush Pulls - size options & dimensions



*SQA, SQB, SQC, AA and A sizes are not available with Flush Coin Release or Round Cylinder functions.


[†]SQA and SQB are also not available with Swing Cover Release function.

	SQA	SQB	SQC	AA	A	B	C	D	E	F	G	H	J	K
Size (L x W)	51 x 51	64 x 64	76 x 76	102 x 51	127 x 51	190 x 51	190 x 64	254 x 51	254 x 64	254 x 76	305 x 64	305 x 76	380 x 64	380 x 76
Overall Aperture Size (∅)	33 x 33	40 x 40	50 x 50	60 x 32	82 x 32	145 x 32	145 x 32	209 x 32	209 x 32	209 x 32	260 x 32	260 x 32	335 x 32	335 x 32
Mortice Size	42 x 38	49 x 49	59 x 62	69 x 38	94 x 38	157 x 40	157 x 40	221 x 40	221 x 40	221 x 40	272 x 44	272 x 44	347 x 44	347 x 44
32 Series Design Size (L x W)	81 x 51	69 x 64	94 x 76											

Custom sizes are available upon request - surcharge may apply.

(∅except Pulls with Round Cylinder Hole Sizes B & C)





Functions, Mortice Depths & Face Plate Thicknesses



Face Plate Thickness T	M Mortice Depths								
	Plain Cylinder Coin Release Keyhole Euro Cylinder Cutout			Turn NB. Mortice depths shown below include the extra 2mm required to accommodate the turn assembly.			Swing Cover Release NB. Mortice depths shown below include the extra 2.5mm required to accommodate the swing cover assembly.		
	9MM	11MM	14MM	9MM	11MM	14MM	9MM	11MM	14MM
4	5	7	10	7	9	12	7.5	9.5	12.5
3	6	8	11	8	10	13	8.5	10.5	13.5





Flush Pulls - Keyhole, Euro & Privacy Functions

Lock Functions	Privacy Functions - Shown set up to work with 7560 type lock (see below)			
				
<p>▲ Euro Cylinder Cutout</p>				
	6658B/11MM/PF shown	6655B/11MM/PF shown	6640B/11MM/PF shown	6659B/11MM/PF shown
<p>▲ Standard Keyhole</p>				
				
<p>▲ --09 Pull with Euro Cylinder Cutout ▲ --10 Pull with Keyhole</p>	<p>▲ Pull with Turn --08 (square spindle orientation) --58 (diamond spindle orientation)</p>	<p>▲ --55 Pull with Flush Coin Release ▲ --40 Pull with Button Coin Release</p>	<p>▲ --59 Pull with Swing Cover Release</p>	





Fixings

Supplied with finish matched no.6 x 19mm wood screws. Flush Pulls with Turns are supplied with factory fitted 5mm spindles suitable for doors up to 45mm thick if the face plate is surface mounted (or 51mm thick if flush fitted). Longer spindles are available upon request for doors up to 80mm thick.



Flush Pulls - Privacy & Cylinder Lock Functions

Shown set up to work with 7565 type lock (see below)




Fixings

Supplied with finish matched no.6 x 19mm wood screws. Flush Pulls with Turns are supplied with factory fitted 5mm spindles suitable for doors up to 45mm thick if the face plate is surface mounted (or 51mm thick if flush fitted). Longer spindles are available upon request for doors up to 80mm thick.



▲ **7565 Lock -**
See page MC3:050



Flush Pulls - Lipped Designs

A choice of nine Lipped Flush Pull designs suitable for both hinged doors and sliding drawers. All available in 14 sizes with three depth options, and either Face, Pocket or Adhesive fixed, all offered with a choice of functions. The 51mm wide versions have an offset aperture and are a single sided lip design; the 64mm and 76mm wide versions are lipped both sides. Custom sizes are available upon request - surcharge may apply.

3207B/17MM/AF/PC



3207B/17MM/PF shown

3207B/17MM/FF shown

3207B/17MM/AF shown

▲ **PF** pocket fixed

▲ **FF** face fixed (not available on sizes SQA, SQB, SQC)

▲ **AF** adhesive fixed



Pocket fixed countersunk screw holes set at slight angle to facilitate screwdriver access



Overall Depth	14	17	21
Code	14MM	17MM	21MM




FUNCTION OPTIONS - see pages DF4:046

Fixings

Face fixed & Pocket fixed versions supplied with finish matched no.6 x 19mm wood screws.

Swing Cover Release versions supplied with nickel plated key.

FACE PLATE DESIGNS (51mm width shown)



▲ 3207

▲ 4707

▲ 4907

▲ 5907

▲ 6007

▲ 6607



▲ 6707 (square edge design)

▲ 6807 (round edge design)

▲ 8707

Flush Pulls - Lipped Designs

Size options & dimensions



*SQA, AA, A, B and D sizes are only available as plain pulls (no functions).

†SQB is not available with Swing Cover Release function.

	SQA	SQB	SQC	AA	A	B	C	D	E	F	G	H	J	K
Size (L x W)	51 x 51	64 x 64	76 x 76	102 x 51	127 x 51	190 x 51	190 x 64	254 x 51	254 x 64	254 x 76	305 x 64	305 x 76	380 x 64	380 x 76
Overall Aperture Size	33 x 28	40 x 32	50 x 43	60 x 30	82 x 30	145 x 30	145 x 32	209 x 30	209 x 32	209 x 44	260 x 32	260 x 44	335 x 32	335 x 44
Mortice Size	42 x 38	49 x 49	59 x 62	69 x 42	94 x 42	157 x 42	157 x 54	221 x 42	221 x 54	221 x 66	272 x 54	272 x 66	347 x 54	347 x 66
32 Series Design Size (L x W)	69 x 51	82 x 64	94 x 76											

Custom sizes are available upon request - surcharge may apply.

Functions, Mortice Depths & Face Plate Thicknesses (C size shown below)

NB. Please see page DF4:030 for lock centre positions




PLATE DESIGN	Face Plate Thickness T	M Mortice Depths								
		Plain Keyhole Euro Cylinder cutout Flush Coin Release			Turn NB. Mortice depths shown below include the extra 2mm required to accommodate the turn assembly.			Swing Cover Release Button Coin Release NB. Mortice depths shown below include the extra 2.5mm required to accommodate the swing cover assembly.		
		14MM	17MM	21MM	14MM	17MM	21MM	14MM	17MM	21MM
32--, 67--, 68--, 87--	4	10	13	17	12	15	19	12.5	15.5	19.5
47--, 49--, 59--, 60--, 66--	3	11	14	18	13	16	20	13.5	16.5	20.5



nickel plated release key supplied with Swing Cover Release

Flush Pulls - Traditional Lipped Designs

A selection of traditional lipped Flush Pulls suitable for sliding doors and drawers.

The lipped feature renders them suitable for use as drawer pulls and on lightweight hinged cabinet doors. These Pulls are not recommended for full size hinged doors.

The 2713, 2714 & 9538 designs are supplied with pocket fixing at the top and bottom of the aperture, as shown below.



▲ 2713



▲ 2714



▲ 9538



▲ 1155



▲ 1157



▲ 1159



▲ 3944


Fixings

Face fixed Pulls supplied with finish matched no. 6 x 25mm wood screws.

Pocket fixed Pulls supplied with finish matched no. 6 x 19mm wood screws.

FLUSH FIT INSTALLATION

As these Pulls are hand finished the outer face edge dimensions may vary and are not suitable for pre-morticed installations



	1155, 2713 2714, 9538		1157	1159	3944
	A	B			
Size (L x W)	90 x 41	103 x 51	89 x 41	114 x 64	100 x 50
A (aperture)	61 x 21	71 x 25	62 x 19	83 x 34	61 x 21
D (depth)	16	19	16	21	14
T (thickness)	4	4	3	4	6
mortice size (l x w x d)	72 x 30 x 12	84 x 36 x 15	72 x 30 x 13	98 x 51 x 17	72 x 30 x 8

Flush Ring Handles & Coin Releases

A selection of Flush Ring Handles and Coin Releases in three sizes, along with a fully flush version suitable for Squash Court doors, floor fixing for trapdoors, or simply for improved aesthetics.

A smaller Coin Release is also available.

All Coins Releases are supplied with a 5mm - 8mm conversion spindle.



▲ 1086



▲ 1084



▲ 1085





▲ 1083



▲ 1080



▲ 1082



1080, 1082 1084, 1085	A	B	C
D	Ø 63	Ø 73	Ø 88
d	Ø 61	Ø 71	Ø 86

1083 & 1086	A	B	C
L x W	65 x 65	75 x 75	90 x 90
d	Ø 61	Ø 71	Ø 86



1087	
L x W	90 x 90
d	Ø 86

Fixings

1084-7 supplied with finished matched no.6 x 19mm wood screws and 8mm x 50mm spindles.

1080-3 supplied with no.6 x 19mm wood screws and a 5mm square spindle and a 5mm to 8mm conversion spindle.

1090 supplied with finish matched no.4 x 13mm wood screws, a 5mm square spindle and a 5mm to 8mm conversion spindle.



Door Edge Pulls

Three different designs of Door Edge Pulls. The 4377 & 4378 are both robust, heavy duty designs suitable for all door sizes & weights, whilst the 4380 is best suited for light/hollow core doors only.

A particular feature of the 4378 is the finish matched Pull, Face Plate, Release Button, and screws.



Fixings


4377 supplied with finish matched no.8 x 25mm wood screws.

4380 supplied with finish matched no.6 x 25mm wood screws.


4378 supplied with no.8 x 25mm wood screws and finish matched face plate machine screws.




▲ 4377




Counter-balanced handle returns automatically to closed position when released.



▲ 4380 (suitable for light/hollow core doors only)



▲ 4378



Light touch Pull retraction or automatic retraction when Pull contacts door frame.